

ABILOX WHITE MINERAL OXIDE BASED PIGMENT POWDER

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND SUPPLIER

Products Included: Illuminite white

Recommended Use: Mineral oxide dry colour pigments for concrete, coatings, etc.

Supplier : Ability Building Chemicals Company

ACN : 007 247 289

Address :133-135 Northern Rd, West Heidelberg, Victoria 3081.

Telephone : 61 3 9457 6488 **Facsimile** : 61 3 9458 4683 **Emergency Contact** : 61 3 9457 6488

2. HAZARDS IDENTIFICATION

NON-HAZARDOUS SUBSTANCE; NON-DANGEROUS GOOD

Hazard Category : Not applicable Risk Phrases : Not applicable

Safety Phrases : S36

Class : Not applicable
Subsidiary Risk : Not applicable
Packing Group
Poison Schedule : Not scheduled

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Identity CAS No Proportion Hazard

All components are considered to be Non-hazardous.

ABILOX WHITE MINERAL OXIDE BASED PIGMENT POWDERS

4. FIRST AID

Ingestion : If swallowed and patient is conscious, wash out mouth with

water and drink several glasses of water or milk. DO NOT

induce vomiting.

DO NOT give anything by mouth to unconscious patient. Seek medical attention if irritation or discomfort occurs..

Eye : Immediately flush with fresh water for at least 15 minutes.

Ensure adequate flushing by separating eyelids with fingers.

Seek immediate medical attention.

Skin : Wash thoroughly with soapy water. Remove contaminated

clothing and footwear and wash before reuse or storage. Seek medical attention if irritation or discomfort occurs.

Inhalation : Move immediately to fresh air and if necessary apply artificial

respiration. If breathing difficulty give oxygen.

Seek medical attention if irritation or discomfort occurs.

First Aid Facilities: Eyewash should be available in workplace.

Advice to Doctor : Treat symptomatically.

Poison Information centers in each State capital city can provide additional assistance for scheduled poisons. (Phone Australia 131 126)

5. FIRE FIGHTING MEASURES

Fire/explosion hazard: Product is not flammable.

Fire Fighting advice: Ensure use of SCBA units and full protective equipment to

avoid contact with smoke or fumes.

Extinguishing Media: Water spray, dry chemical, carbon dioxide or appropriate

foam according to surrounding fire.

Decomposition Products: May include carbon monoxide and dioxide (from small

component organic compounds).

6. ACCIDENTAL RELEASE MEASURES

Spills and disposal: Ensure protective overalls, gloves and safety goggles are worn

by cleanup personnel. Approved respirators if needed. Carefully sweep spillage together to allow collection.

Avoid raising dust.

Collect spillage into appropriately labeled containers for storage awaiting reuse or disposal via the local waste facility as

per required legislation.

Thoroughly wash the area with water to complete.

ABILOX WHITE MINERAL OXIDE BASED PIGMENT POWDERS

7.HANDLING AND TRANSPORT

Safe Handling : Store product in a dry area

Information and ensure all containers are sealed when not in use.

Refer to product label.

Precautions for Use: Only to be used as per recommended use.

8.EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

No specific airborne exposure standard set for this product

but we recommend a $TLV = 10 \text{ mg/m}^3$ as for a nuisance dust.

Engineering Controls: Ensure effective ventilation (exhaust and/or natural) at the

workplace is adequate to avoid dust in the immediate vicinity.

Personal Protection: Wear full overalls, gloves and safety goggles when handling

the product. Avoid skin and eye contact as well as inhalation. Always wash hands before eating, drinking, smoking or using

the toilet.

Wash any contaminated clothing or protective equipment

before reuse or storage.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White powder. No odour.

Specific Gravity: Approx. 5

Bulk Density : 800-1000 kg/m² **Vapour Pressure** : Not applicable

pH, @ 50 g/l : 5.5 - 7.5

Boiling Point : Not applicable

Melting Point :> 1000°C (softening)
Solubility : Insoluble in water.
Flash Point : Not applicable
Flammability Limits : Not flammable

10. STABILITY

Stability / Polymerisation: Stable

Incompatible materials

and conditions : Avoid contact with strong acids, alkalis and oxidizing agents.

ABILOX WHITE MINERAL OXIDE BASED PIGMENT POWDERS

11. Toxicological Information

No adverse health effects are expected if the product is handled in accordance with this Safety Data Sheet and the product label.

Symptoms that may arise if the product is mishandled are –

Acute Effects:

Ingestion : May cause gastro-intestinal upset with nausea, vomiting and diarrhea. Eye : May cause irritation to the cornea with resulting redness and pain to

the eye. Physical damage may also occur due to particulate matter.

Skin: May cause mild irritation to the skin with prolonged contact.

Inhalation: If dust inhaled, may cause irritation to the throat and respiratory tract

resulting in coughing and shortness of breath.

Chronic Effects: No known long term effects.

Toxicology:

No data available.

No known carcinogenic, mutagenic or reproductive/developmental effects but it is considered that these materials have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

Environmental Fate: Avoid contaminating waterways.

Aquatic Toxicity : No data available.

Terrestrial Toxicity: No data available.

ABILOX WHITE MINERAL OXIDE BASED PIGMENT POWDERS

13. DISPOSAL CONSIDERATIONS

Dispose of the product as per local regulations.

Ensure containers are effectively cleared of product and disposed of according to local authority requirements.

14. TRANSPORT INFORMATION

Is not classified as a Dangerous Good by the Criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail.

UN Number : Not applicable
Proper Shipping Name : Not applicable
Class : Not applicable
Subsidiary Risk : Not applicable
Packing Group : Not applicable
Hazchem Code : Not applicable
Segregation Dangerous Goods: Not applicable

15. REGULATORY INFORMATION

Poison Schedule : Not scheduled.

ABILOX WHITE MINERAL OXIDE BASED PIGMENT POWDERS

16. OTHER INFORMATION

Date of Preparation : 1 September 2004

Date of Revision (No) : 8 July 2009 **Reason for Issue** : New MSDS

This data sheet and health, safety and environmental information it contains has been prepared according to current regulatory requirements as at date of issue. The precautions and advice provided may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and comply with all applicable legislation. No statement made in this data sheet shall be construed as permission, a recommendation or authorisation given or implied to practice any patented invention without a valid licence. No company named in this document shall be responsible for any damage or injury resulting from abnormal use of the material from any failure to adhere to recommendations, or from hazards inherent in the nature of the material.

Contact: Ability Building Chemicals Co

133-135 Northern Road

WEST HEIDELBERG VIC 3081

PH: 03 9457 6488 FAX: 03 9458 4683

End of MSDS